


NOTES:


- CONSTRUCT SIDEWALK TO EXISTING SIDEWALK WIDTH. APPROXIMATELY 10' WIDE. EXISTING SIDEWALK IS
- Ņ SIDEWALK SHALL BE CLASS "C" CONCRETE (3,000 PSI) លាំ
- METAL DOWELS ARE TO BE INSERTED EVERY 30 FEET.
- 6° X 6° Welded wire mesh reinforcing shall be installed 1-1/2" above the 6° compacted processed aggregate base.
- 1/2" THICK EXPANSION JOINT MATERIAL SHALL BE INSTALLED BETWEEN THE BASKETBALL COURT ASPHALT AND EXISTING SIDEWALK AND AT 15 FEET INTERVALS.

Ċι

4. Ņ

- ဂ္ဂာ SIDEWALK SHALL BE FLUSH WITH EXISTING SIDEWALK EDGE AND FLUSH WITH FINISHED BASKETBALL COURT'S ASPHALT EDGE.
- .7 THE SURFACE AREA OF THE SIDEWALK SHALL HAVE A STIFF BROOM FINISH.
- çα REPAIR ANY AND ALL DISTURBED TURF AREAS. ADD SCREENED TOPSOIL AS NEEDED. SEED AND FERTILIZE WITH STARTER FERTILIZER AND MUCH WITH CHOPPED STRAW.





PROPOSED SIDEWALK DETAIL BARTLETT PARK BASKETBALL COURTS (NOT TO SCALE) REVISION-1 DRAFT 1/5/18

PAGE 4 OF 5

NOT ISSUED FOR CONSTRUCTION

BARTLETT PARK
BASKETBALL COURT
RENOVATION
PROPOSED SIDEWALK DETAIL

1/2" ASPHALT EXPANSION JOINT MATERIAL

1/2h

ര്

CITY OF NEW LONDON
FUBLIC WORKS DEPARTMENT
ENGINEERING
III USHON SO, CT 06320
PER 1600-417-5255 FAX: 860-447-5255

REVISIONS DATE: 1.5 2018

