Exhibit G : Special Testing Bid Form

		BID FORM				
Item and Unit	Quantity	Unit Price		Extended Price		
	L <i>A</i>	BOR RATES		-		
AISC Shop Inspection – Full Day		\$	\$		\$	
	25	and	Cents	and		
AISC Shop Inspection – Half Day	6	\$		\$	111111111111111111111111111111111111111	
		and	Cents	and	Cents	
AISC Shop Inspection – Hourly	1	\$		\$		
		and	Cents	and	Cents	
Soils and Foundations – Full Day	60	\$		\$		
		and	Cents	and	Cents	
ioils and Foundations – Half Day	30	\$		\$		
		and	Cents	and	Cents	
oils and Foundations - Hourly	1	\$		\$		
		and	Cents	and	Cents	
Cast in Place Concrete – Full Day	80	\$		\$		
		and	Cents	and	Cents	
ast in Place Concrete – Half Day		\$		\$		
	40	and	Cents	and	Cents	

Cast in Place Concrete - Hourly	1	\$		\$	
		and	Cents	and	Cents
Masonry – Full Day	400	\$		\$	
	100	and	Cents	and	Cents
Masonry – Half Day	50	\$		\$	
	50	and	Cents	and	Cents
Masonry - Hourly		\$		\$	
	1	and	Cents	and	Cents
Structural Steel – Full Day	50	\$		\$	
	50	and	Cents	and	Cents
Structural Steel – Half Day	0.5	\$		\$, , , , , , , , , , , , , , , , , , , ,
	25	and	Cents	and	Cents
Structural Steel - Hourly		\$		\$	
	1	and	Cents	and	Cents
Cold Formed Metal Framing – Full Day		\$		\$	
Day	30	and	Cents	and	Cents
Cold Formed Metal Framing – Half Day		\$	***************************************	\$	
	15	and	Cents	and	Cents
old Formed Metal Framing -		\$		\$	
lourly	1	and	Cents	and	Cents
pray Fire Resistant Material –	30				

Γ

-ull Day		\$	\$
		andCents	and Cents
Spray Fire Resistant Material – Half Day		\$	\$
	15	andCents	andCents
pray Fire Resistant Material - lourly		\$	\$
	1	and Cents	and Cents
ntumescent Fire Resistant Coatings – Full Day		\$	\$
	5	and Cents	
Intumescent Fire Resistant Coatings – Half Day		\$S	and Cents
	2	andCents	andCents
ntumescent Fire Resistant oatings - Hourly		\$	\$
	1	andCents	andCents
ABORATORY TESTING			
oil Testing: Sieve Test (ASTM D422 &	20	\$	\$
D1140) odified Proctor Test (ASTM 1557)		andCents	andCents
oncrete Testing: Compressive strength		\$	\$
 (ASTM C31 & C39) Slump (ASTM C143) Air-content (ASTM C231 or C173) Temperature (ASTM C1064) 	80	andCents	andCents
ortar & grout cube compressive ength (ASTM C780)	40	\$	\$
		andCents	andCents
asonry prism compressive	40	\$	\$

strength (ASTM C1314)						
3 (***********************************			and	Cente	and_	0
Windsor Probe Testing (ASTM				Cents	anu	Cents
C803)	1		\$		\$	
			and	Cents	and	Cents
Spray Applied Fire Resistive						
Material Density Testing (ASTM E605)	1		\$		\$	
E000)						
			and	Cents	and	Cents
Total Fee (all labor and	\$			******		
laboratory estimated	-					
quantities)	and	Cents				
	- CATIO	Cents				
	300,41					
	700					